

SCSI-to-SATA RAID Subsystem Hard Disk Drives Compatibility List

Subsystems included:

- A24U-G2421: 4U/24-bay, SCSI to SATA Single RAID Subsystem
- A16U-G2430: 3U/16-bay, SCSI to SATA Single RAID Subsystem
- A12U-G2421: 2U/12-bay, SCSI to SATA Single RAID Subsystem
- A08U-G2421: 2U/8-bay, SCSI to SATA Single RAID Subsystem
- A04U-G2421: 1U/4-bay, SCSI to SATA Single RAID Subsystem



HDD Compatibility List v1.8

SATA-II 3Gb/s Hard Disks Drives

Vendor	Series	Model	Capacity	RPM	Microcode	Form Factor	A24U-G2421	A16U-G2430	A12U-G2421	A08U-G2421	A04U-G2421
Hitachi	A7K1000	HUA721050KLA330	500GB	7200	70M/B0A	3.5"	Y	Y	Y	Y	Y
		HUA721075KLA330	750GB	7200	70M/B0A	3.5"	Y	Y	Y	Y	Y
		HUA721010KLA330	1TB	7200	70M/B0A	3.5"	Y	Y	Y	Y	Y
	A7K2000	HUA722020ALA330	2TB	7200	28G	3.5"	Y	Y	Y	Y	Y
	E7K1000	HDE721050SLA330	500GB	7200	A31B	3.5"	Y	Y	Y	Y	Y
		HDE721075SLA330	750GB	7200	Ref.	3.5"	Y	Y	Y	Y	Y
HDE721010SLA330		1TB	7200	Ref.	3.5"	Y	Y	Y	Y	Y	
Seagate	Barracuda ES.2	ST3250310NS	250GB	7200	SN06	3.5"	Y	Y	Y	Y	Y
		ST3500320NS	500GB	7200	SN06	3.5"	Y	Y	Y	Y	Y
		ST3750330NS	750GB	7200	SN06	3.5"	Y	Y	Y	Y	Y
		ST31000340NS	1TB	7200	SN06	3.5"	Y	Y	Y	Y	Y
	Constellation ES	ST35000514NS	500GB	7200	SN11	3.5"	Y	Y	Y	Y	Y
		ST31000524NS	1TB	7200	SN11	3.5"	Y	Y	Y	Y	Y
ST32000644NS		2TB	7200	SN11	3.5"	Y	Y	Y	Y	Y	
Western Digital	GP	WD5000ABPS	500GB	7200	02.01B01	3.5"	Y	Y	Y	Y	Y
		WD7500AYPS	750GB	7200	02.01B01	3.5"	Y	Y	Y	Y	Y
		WD1000FYPS	1TB	7200	02.01B01	3.5"	Y	Y	Y	Y	Y
	RE2	WD7500AYYS-01RCAO	750GB	7200	30.04G30	3.5"	Y	Y	Y	Y	Y



HDD Compatibility List v1.8

	RE4 GP	WD2002FYPS	2TB	Intelli-Power	5G04	3.5"	-	-	-	Y	-
--	--------	------------	-----	---------------	------	------	---	---	---	---	---

Please Note that:

The compatibility test may only take a few hours up to a few days. It is not possible to tell the quality or reliability of a 3rd party device from the compatibility test. Infortrend does not hold the responsibility for the quality, reliability or other issues of the device listed above. A device that has been listed with "Y" (OK) status, only means it can work with our products with the tested configuration, at the time we test it.